

1.a) PRODUCT C12~14 alkyl glycidyl ether ether AGE MSDS

1.b) SUPPLIER

Chuzhou Hui-Sheng Electronic Materials Co., Ltd.

Address: Chuzhou City, south of Science and Technology Industrial Park,

Wan Lian Road No. 2 Anhui Province, Of China

Tel: 18955005198 Fax: 0550-3213188 Post code: 239000

URL: http://www.hs-epoxy.com E-mail: jys88@163.com

2. COMPOSITIONS AND INFORMATION ON INGREDIENTS

Name Conc. % CAS #

C12~14 alkyl glycidyl ether 100 68609-97-2

3. HAZARDS IDENTIFICATION

Routes of entry: inhalation, skin contract, ingestion, and swallow Potential acute health effects: irritating to eyes and skin. May be harmful if swallowed. May cause sensitization by skin contact.

Potential chronic health effects: no relevant information found

4. FIRST AID MEASURES

Inhalation: remove the victim from the contamination immediately to fresh air.

Skin contact: wash the affect area under warm running water with a mild soap.

Hazardous skin contact: medical treatment as soon as possible.

Eye contact: rinse the affected eyes with clean water for at least 15 minutes, and

then seek medical treatment.

Ingestion: seek medical treatment

5. FIRE AND EXPLOSION DATA

Flammability of the product: flame-resist liquid

Fire hazards in presence of various substances: none

Explosion hazards in presence of various substances: none

Fire Fighting Media and instructions: dry chemical powder, carbon dioxide or dry sand

6. ACCIDENTAL RELEASE MEASURES

Small Spill: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container with covers for disposal.

Large Spill: Dike for later disposal; prevent spills from entering sewers, watercourses or low areas. Sweep up, place in a bag and hold for waste disposal

7. HANDLING AND STORAGE

Handling: Wear proper protective equipment. Avoid contact with skin or eyes.

Storage: Keep container tightly closed. Keep away from sunlight ,heat flame or

ignition source and store in a cool location

Follow all MSDS label precautions even after container is emptied because they may retain product residues

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

Engineering Controls: Handle this material in a totally enclosed system, or

use with local exhaust ventilation

Personal Protection: Safety spectacles, rubber gloves, rubber apron

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance ropy liquid

Colour Transparent

Odour characteristic odor
Melting point not available
Boiling point not available

Thermal decomposition $>200^{\circ}\text{C}$ Falsh point $>130^{\circ}\text{C}$ Vapour pressure not available Density (25°C) 0.98/ML

Solubility in water insoluble

10. STABILITY AND REACTIVITY DATA

Chemical stability: This product is considered a stable material under normal and anticipated storage and handling conditions.

Condition of instability: Thermal decomposition may yield carbon monoxide and

carbon dioxide ,nitrogen oxides

Incompatibility with various substances: Avoid reacting with strong oxidant, strong acid and aliphatic amine

11. TOXICOLOGICAL INFORMATION

Toxicity to Animals

Chronic effects on humans

Other toxic effects on humans

No relevant information found.

12. ECOLOGICAL INFORMATION

Ecotoxicity

BOD5 and COD

Products of biodegradation

Toxicity of the Products of

No relevant information found.

No relevant information found.

No relevant information found.

No relevant information found.

13. DISPOSAL CONSIDERATION

Do not dump into sewers, on the ground or into any body of water. Consult an expert on the disposal. Ensure disposal in compliance with government

requirements and ensure conformity to local disposal regulations.

14. TRANSPORT INFORMATION

Follow all regulations in your country.

Transport and store according to general caution and instructions in before mentioned comment.

15. REGULATORY INFORMATION

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

16. OTHER INFORMATIONI

To the best of our knowledge, the information contained here in is accurate.

However, all materials may present unknown hazards and should be used in caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards, which exist. Final determination of suitability of any material is the sole responsibility of the user.